L Number	Hits	Search Text	DB	Time stamp
-	2633	(data near3 bus) and ((power or voltage or potential) near6 (detect$4 near3 circuit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:31
-	353002	host or (master and slave)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 12:46
-	610	((data near3 bus) and ((power or voltage or potential) near6 (detect$4 near3 circuit))) and (host or (master and slave))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 12:46
-	227	(data near3 bus) same ((power or voltage or potential) near6 (detect$4 near3 circuit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 12:47
-	34	(host or (master and slave)) and ((data near3 bus) same ((power or voltage or potential) near6 (detect$4 near3 circuit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 12:47
-	11286	mode near6 (slave or stand)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:20
-	1	((host or (master and slave)) and ((data near3 bus) same ((power or voltage or potential) near6 (detect$4 near3 circuit)))) and (mode near6 (slave or stand))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:12
-	5	(mode near6 (slave or stand)) and ((data near3 bus) same ((power or voltage or potential) near6 (detect$4 near3 circuit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:15
-	114	(mode near6 (slave or stand)) and ((data near3 bus) and ((power or voltage or potential) near6 (detect$4 near3 circuit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:15
-	5	(mode near6 (slave or stand)) and ((data near3 bus) and ((power or voltage or potential) near6 (detect$4 near3 circuit))) and usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:15
-	1235	modes near6 (slave or stand)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:20
-	23	(modes near6 (slave or stand)) and ((data near3 bus) and ((power or voltage or potential) near6 (detect$4 near3 circuit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:20
-	2633	(data near3 bus) and ((power or voltage or potential) near6 (detect$4 near3 circuit)) and (conductor$1 near$3 (data or power))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:43

| -	1879	(data near3 bus) and ((power or voltage or potential) near6 (detect$4 near3 circuit)) same (conductor$1 near$3 (data or power))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:43
-	90	(mode near6 (slave or stand)) and ((data near3 bus) and ((power or voltage or potential) near6 (detect$4 near3 circuit)) same (conductor$1 near$3 (data or power)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:12
-	150	bus same ((data and power) near3 conductor$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:14
-	68	bus near6 ((data and power) near3 conductor$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:14
-	95	bus with ((data and power) near3 conductor$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:20
-	108678	circuit same ((power or voltage or potential) near3 detect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:15
-	84739	circuit with ((power or voltage or potential) near3 detect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:28
-	8	(circuit with ((power or voltage or potential) near3 detect$4)) and (bus with ((data and power) near3 conductor$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:15
-	1516	bus with ((data and power) near3 (conductor$1 or line$1 or wire$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:23
-	113	(bus with ((data and power) near3 (conductor$1 or line$1 or wire$1))) and (circuit with ((power or voltage or potential) near3 detect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:21
-	5	(bus with ((data and power) near3 (conductor$1 or line$1 or wire$1))) same (circuit with ((power or voltage or potential) near3 detect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:23
-	1119	usb.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:28
-	16	usb.ti. and (circuit with ((power or voltage or potential) near3 detect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:39
-	20	usb.ti. and (circuit same ((power or voltage or potential) near3 detect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:43

-	3621	usb.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:43
-	55	usb.ab. and (circuit with ((power or voltage or potential) near3 detect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:43
-	3	usb.ti. and (modes near3 (slave or stand))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:57
-	3	usb.ti. and ((data near2 transfer) same (power with detect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:00
-	12	usb.ab. and ((data near2 transfer) same (power with detect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:05
-	15	usb same ((data near2 transfer) same (power with detect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:05
-	53	usb and ((data near2 transfer) same (power with detect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:29
.-	21	usb and ((data near2 transfer) with (power with detect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:32
-	138	((data near2 transfer) with (power near3 detect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:33
-	1	((data near2 transfer) with (power near3 detect$4)) same modes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:34
-	4	((data near2 transfer) same (power near3 detect$4)) same modes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:34
-	273	((data near2 transfer) same (power near3 detect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:35
-	51	((data near2 transfer) same (power near3 detect$4)) and modes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:36
-	18	((data near2 transfer) with (power near3 detect$4)) and modes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:45

-		1	((data near2 transfer) with (power near3 detect$4)) and usb.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:45
-		6	((data near2 transfer) same (power near3 detect$4)) and usb.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:47
-		7	((data near2 trans$4) same (power near3 detect$4)) and usb.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:48
-		11	((data near2 (transfer or transmi$5)) same (power near3 detect$4)) and usb.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:51
-		217	((data near2 (transfer or transmi$5)) same (power near3 detect$4)) and modes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:52
-		117	((data near2 (transfer or transmi$5)) same (power near3 detect$4)) and modes and bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:52
-		48	((data near2 (transfer or transmi$5)) same (power near3 detect$4)) and modes and bus and host	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:32
-		2	((data near2 (transfer or transmi$5)) same (power near3 detect$4)) and (modes near3 slave)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:04
-		755	usb and (power near3 detec$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:05
-		54	usb and (power near3 detec$4) same (data near3 (transfer or transmi$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:15
-		20	usb same (power near3 detec$4) same (data near3 (transfer or transmi$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:20
-		1	usb same (power near3 detec$4 adj3 circuit) same (data near3 (transfer or transmi$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:21
-		9	usb same (power near3 detec$4 adj3 circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:21
-		46	((data near2 (transfer or transmi$5)) same (power near3 detect$4)) and (host or (master and slave)) and ((data near3 bus) and ((power or voltage or potential) near6 (detect$4 near3 circuit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:34

-	141	((data near2 (transfer or transmi$5)) same (power near3 detect$4)) and (bus with (data and power))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:36
-	1	((data near2 (transfer or transmi$5)) same (power near3 detect$4) same modes) and (bus with (data and power))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:05
-	74	((data near2 (transfer or transmi$5)) with (power near3 detect$4)) and (bus with (data and power))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:37
-	4	((data near2 (transfer or transmi$5)) with (power near3 detect$4)) and (bus with (data and power) with (lines or wires or conductors))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:41
-	21	((data near2 (transfer or transmi$5)) with (power near3 detect$4)) and (bus with (data and power) with (line or wire or conductor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:52
-	14	((data near2 (transfer or transmi$5)) with (power near3 connected near3 detect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:01
-	57	((data near2 (transfer or transmi$5)) same (power near3 connected near3 detect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:02
-	5	((data near2 (transfer or transmi$5)) same (power near3 connected near3 detect$4)) and modes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:04
-	51	(usb and (power near3 detect$4)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:10
-	10	(usb and (power near3 detect$4 near3 circuit)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:07
-	4	(usb and (power near3 connected near3 detect$4)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:10
-	940	usb and @py<1999	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:17
-	744	usb.ab. and @py<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 09:53
-	24	(usb.ab. and @py<2001) and (power near5 detect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:14

-	38	(usb.ab. and @py<2001) and (power with detect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:12
-	17	(usb.ab. and @py<2001) and (power with supply with detect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:12
-	24	(usb and @py<1999) and (power near5 detect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:17
-	5077	usb and @py<2002	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:17
-	188	(usb and @py<2002) and (power near5 detect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:22
-	14	(usb and @py<2002) and ((power near5 detect$4) same (data with (transfer or transmi$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:25
-	685	((power with connected with detect$4) same (data with (transfer or transmi$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:28
-	435	((power with connected with detect$4) with (data with (transfer or transmi$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:29
-	57	(((power with connected with detect$4) with (data with (transfer or transmi$5)))) and modes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:29
-	80	(((power adj3 connect$4) with detect$4) with (data with (transfer or transmi$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:33
.-	10	((((power adj3 connect$4) with detect$4) with (data with (transfer or transmi$5)))) and modes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:32
-	29	((((power adj3 connect$4) with detect$4) with (data with (transfer or transmi$5)))) and bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:33
-	16	(((power adj3 connect$4) near5 detect$4) with (data with (transfer or transmi$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:36
-	11	(((power adj3 connect$4) near5 detect$4) with (data near3 (transfer or transmi$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:38

-	1409	((power or voltage or potential) near3 detect$4) with (data near3 (transfer or transmi$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:40
-	25	(((power or voltage or potential) near3 detect$4) with (data near3 (transfer or transmi$5))) and usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:42
-	162	(((power or voltage or potential) near3 detect$4) with (data near3 (transfer or transmi$5))) and modes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:42
-	30	(((power or voltage or potential) near3 detect$4) with (data near3 (transfer or transmi$5))) and modes and stand	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:47
-	38	(((power or voltage or potential) near3 detect$4) with (data near3 (transfer or transmi$5))) and stand adj alone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 14:44
-	7740	(stand adj alone) and modes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:59
-	637	(stand adj alone) same modes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 11:00
-	23	((stand adj alone) same modes) and usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 11:00
-	65	(((power or voltage or potential) near3 detect$4) with (data near3 (transfer or transmi$5))) and host and bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 14:52
-	323	(((power or voltage or potential) near3 detect$4) with ((data near3 (transfer or transmi$5)) or receive or reception or communicat$3)) and host and bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 14:54
-	148	(((power or voltage or potential) near3 detect$4) with ((data near3 (transfer or transmi$5)) or receive or reception or communicat$3)) and usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 14:58
-	48	((((power or voltage or potential) near3 detect$4) with ((data near3 (transfer or transmi$5)) or receive or reception or communicat$3)) and usb) and modes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 14:55
-	1359	(((power or voltage or potential) near3 detect$4) with ((data near3 (transfer or transmi$5)) or receive or reception or communicat$3)) with (switch or change)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 14:59
-	2252	(((power or voltage or potential) near3 detect$4) with (switch or change) same ((data near3 (transfer or transmi$5)) or receive or reception or communicat$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 15:00

-	59	(((power or voltage or potential) near3 detect$4) with ((switch or change) near3 mode) same ((data near3 (transfer or transmi$5)) or receive or reception or communicat$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 15:00
-	6626	power near3 connect$4 near3 detect$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 15:30
-	776	(power near3 connect$4 near3 detect$4) and bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 15:30
-	2447	power adj3 connect$4 near3 detect$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 15:30
-	296	(power adj3 connect$4 near3 detect$4) and bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 15:31
-	134	((power adj3 connect$4 near3 detect$4) and bus) and (data with (transfer or transmi$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 15:32
-	35	(power adj3 connect$4 near3 detect$4) and (stand adj alone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 15:35
-	14	(power adj3 connect$4 near3 detect$4) and (modes near3 (switch or change))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 16:08
.-	27	bus adj2 powered adj2 device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 16:20
-	2	(bus adj2 powered adj2 device) and (stand adj alone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 16:31
-	1647	((bus adj2 powered adj2 device) or usb) and (stand adj alone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 16:32
-	3	((bus adj2 powered adj2 device) or usb) and (stand adj alone) same (power near3 detect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 16:33
-	4	((bus adj2 powered adj2 device) or usb) and ((stand adj alone) adj3 mode) and (power near3 detect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 16:34
-	97	((bus adj2 powered adj2 device) or usb) and (stand adj alone) and (power near3 detect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 16:37

-	5	(bus adj2 powered).ab. and (power near5 detect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 08:47
-	18283	((power or voltage or potential) near5 (sens$3 or detect$4)) and ((cut or end or disconnect) near5 (communicat$4 or transmi$5 or transfer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:37
-	843	((power or voltage or potential) near5 (sens$3 or detect$4)) with ((cut or end or disconnect) near5 (communicat$4 or transmi$5 or transfer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:07
-	293	(((power or voltage or potential) near5 (sens$3 or detect$4)) and ((cut or end or disconnect) near5 (communicat$4 or transmi$5 or transfer))) and usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:35
-	323	(((power or voltage or potential) near5 (sens$3 or detect$4)) and ((cut or end or disconnect) near5 (communicat$4 or transmi$5 or transfer))) and (usb or (bus adj powered))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:37
-	14	(((power or voltage or potential) near5 (sens$3 or detect$4)) and ((cut or end or disconnect) near5 (communicat$4 or transmi$5 or transfer))) same (usb or (bus adj2 powered))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:44
-	2	(((power or voltage or potential) near5 (sens$3 or detect$4)) and ((cut or terminate or disconnect) near5 (communicat$4 or transmi$5 or transfer))) same (usb or (bus adj2 powered))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:46
-	4	((absence near5 (power or voltage or potential) near5 (sens$3 or detect$4)) and ((cut or terminate or disconnect) near5 (communicat$4 or transmi$5 or transfer))) and (usb or (bus adj2 powered))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:54
-	0	((absence near5 (power or voltage or potential) near5 (sens$3 or detect$4)) with ((cut or terminate or disconnect) near5 (communicat$4 or transmi$5 or transfer))) and (usb or (bus adj2 powered))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:54
-	2	((absence near5 (power or voltage or potential) near5 (sens$3 or detect$4)) with ((cut or terminate or disconnect) near5 (communicat$4 or transmi$5 or transfer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:16
-	3	((absence near5 (power or voltage or potential) with (sens$3 or detect$4)) with ((cut or terminate or disconnect) near5 (communicat$4 or transmi$5 or transfer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:18
-	2	(((absence or loss or off) near5 (power or voltage or potential) with (sens$3 or detect$4)) with ((cut or terminate or disconnect) near5 (communicat$4 or transmi$5 or transfer))) and (usb or (bus adj powered))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:21
-	4	(((absence or loss or off) near5 (power or voltage or potential) with (sens$3 or detect$4)) with ((cut or terminate or disconnect) near5 (communicat$4 or transmi$5 or transfer))) and host	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:27
-	7	(((absence or loss or off) near5 (power or voltage or potential) with (sens$3 or detect$4)) same ((cut or terminate or disconnect) near5 (communicat$4 or transmi$5 or transfer))) and host	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:45

-	128	(((absence or loss or off) near5 (power or voltage or potential) with (sens$3 or detect$4)) with ((cut or terminate or disconnect) near5 (communicat$4 or transmi$5 or transfer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:57
-	0	(((absence or loss or off) near5 (power or voltage or potential) with (sens$3 or detect$4)) with ((cut or terminate or disconnect) near5 (communicat$4 or transmi$5 or transfer))) and (stand adj2 alone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:03
-	1679	(stand adj2 alone) and (usb or (bus adj2 powered))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:04
-	0	(stand adj2 alone) and (usb or (bus adj2 powered)) and (((power or voltage or potential) near5 (sens$3 or detect$4)) with ((cut or end or disconnect) near5 (communicat$4 or transmi$5 or transfer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:05
-	31	(stand adj2 alone) and (usb or (bus adj2 powered)) and (((power or voltage or potential) near5 (sens$3 or detect$4)) and ((cut or end or disconnect) near5 (communicat$4 or transmi$5 or transfer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:06
~	890	((absence or loss or off) near5 (power or voltage or potential or current) with (detect$4 or sens$4)) and (stand adj alone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:13
~	25	((absence or loss or off) near5 (power or voltage or potential or current) with (detect$4 or sens$4)) same (stand adj alone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:19
-	575	(stand adj2 alone) with switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:19
-	9	(stand adj2 alone) with switch and usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:21
-	1	(stand adj2 alone adj2 mode) with switch and usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:23
-	30	(stand adj2 alone adj2 mode) near3 switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:27
-	1	(stand adj2 alone adj2 mode) near3 (switch or change) and usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:30
-	6	(stand adj2 alone adj2 mode) same usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:45
-	873	((loss or off of absence) near5 (power or voltage or current) with (sens$3 or detect$4)) and (stand adj2 alone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:47

-		2	((loss or off of absence) near5 (power or voltage or current) with (sens$3 or detect$4)) same (operate near4 independent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:49
-		1	((loss or off of absence) near5 (power or voltage or current) with (sens$3 or detect$4)) same (host near3 disconnect)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:52
-		359	(cable same ((power with data) near3 (line or wire or conductor)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:57
-		3	(((power or voltage or potential) near5 (sens$3 or detect$4)) with ((cut or end or disconnect) near5 (communicat$4 or transmi$5 or transfer))) and ((cable same ((power with data) near3 (line or wire or conductor))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:55
-		751	((cable or bus) same ((power with data) near3 (line or wire or conductor)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:17
-		4	(((power or voltage or potential) near5 (sens$3 or detect$4)) with ((cut or end or disconnect) near5 (communicat$4 or transmi$5 or transfer))) and (((cable or bus) same ((power with data) near3 (line or wire or conductor))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:57
-		262	((power or voltage or potential) near5 (sens$3 or detect$4)) with ((cut or terminate or disconnect) near5 (communicat$4 or transmi$5 or transfer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:09
-		0	(((cable or bus) same ((power with data) near3 (line or wire or conductor)))) and (((power or voltage or potential) near5 (sens$3 or detect$4)) with ((cut or terminate or disconnect) near5 (communicat$4 or transmi$5 or transfer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:08
-		1172	((power or voltage or potential) with (sens$3 or detect$4)) with ((cut or terminate or disconnect) with (communicat$4 or transmi$5 or transfer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:00
-		2	(((cable or bus) same ((power with data) near3 (line or wire or conductor)))) and (((power or voltage or potential) with (sens$3 or detect$4)) with ((cut or terminate or disconnect) with (communicat$4 or transmi$5 or transfer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:09
-		584	((cable or bus) with ((power with data) near3 (line or wire or conductor)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:25
-		1	(((cable or bus) with ((power with data) near3 (line or wire or conductor)))) and (((power or voltage or potential) with (sens$3 or detect$4)) with ((cut or terminate or disconnect) with (communicat$4 or transmi$5 or transfer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:19
-		27	((cable or bus) with ((power with data) near3 (line or wire or conductor))) and stand$1alone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:35
-		224	(alone or independent) and (((power or voltage or potential) with (sens$3 or detect$4)) with ((cut or terminate or disconnect) with (communicat$4 or transmi$5 or transfer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:36

-	5	((alone or independent) near3 operate) and (((power or voltage or potential) with (sens$3 or detect$4)) with ((cut or terminate or disconnect) with (communicat$4 or transmi$5 or transfer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:37
-	119	pda and usb and (power near3 (detect$4 or sens$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:49
-	0	pda and usb and (absence near3 power near3 (detect$4 or sens$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:50
-	11	pda and usb and ((absence or loss or off) near3 power near3 (detect$4 or sens$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:53
-	12	pda and usb and ((absence or loss or off) near3 (power or voltage or current) near3 (detect$4 or sens$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:54
-	36	portable and usb and ((absence or loss or off) near3 (power or voltage or current) near3 (detect$4 or sens$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:58
-	1318	pda and usb and power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:59
-	8	pda and (((power or voltage or potential) near5 (sens$3 or detect$4)) with ((cut or end or disconnect) near5 (communicat$4 or transmi$5 or transfer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:59
-	0	(((power or voltage or potential) with (sens$3 or detect$4)) with ((cut or terminate or disconnect) with (communicat$4 or transmi$5 or transfer))) and pda and usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:00
-	5	(((power or voltage or potential) with (sens$3 or detect$4)) with ((cut or terminate or disconnect) with (communicat$4 or transmi$5 or transfer))) and pda	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:03
-	2475	pda and (stand$1alone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:03
-	32	pda and (stand$1alone) and (power near3 loss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:09
-	179860	(power or voltage or current) adj2 (line or wire or conductor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:11
-	443298	(power or voltage or current) near3 (detect$4 or sens$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:13

-	51056	((power or voltage or current) adj2 (line or wire or conductor)) and ((power or voltage or current) near3 (detect$4 or sens$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:13
-	2104	(absence or loss) same (disconnect or terminate or stop) with (host or communicat$3 or transmi$5 or transfer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:15
-	79	(((power or voltage or current) adj2 (line or wire or conductor)) and ((power or voltage or current) near3 (detect$4 or sens$4))) and ((absence or loss) same (disconnect or terminate or stop) with (host or communicat$3 or transmi$5 or transfer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:29
-	415	power and loss and recovery and pda	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:29
-	1	(power near3 loss near3 recovery) and pda	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:57
-	31	(power near3 loss) and pda and (stand adj alone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:58
-	32	(power near3 loss) and pda and (stand$1alone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:58
-	0	((power near3 loss) same (stand$1alone)) and pda	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:59
-	47	((power near3 supply) same (stand$1alone)) and pda	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:59
-	3	((power near3 supply with usb) same (stand$1alone)) and pda	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:00
-	5	((power near3 off) same (stand$1alone)) and pda	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:15
-	148	pda and synch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:16
-	0	pda and synch and (power adj loss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:16
-	37	pda and synch and usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:16

-	1686	pull adj (up or back) adj circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 11:05
-	14	(pull adj (up or back) adj circuit) and usb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 11:18
-	15	("5122690" | "5166555" | "5184033" | "5287022" | "5332932" | "5479124" | "5534791" | "5537060" | "5539333" | "5719509" | "5801564" | "5808481" | "5825206" | "5831447" | "5973512").PN.	USPAT	2003/12/12 11:06
-	3	(pull adj (up or back) adj circuit) and (bus adj2 powered)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 11:20
-	3	pull adj back adj circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 11:20
-	2	("5953206" | "5954523").PN.	USPAT	2003/12/12 11:22